Freeform Search

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:
L12 and @ad<20000301

Display: 50 Documents in **Display Format:** - Starting with Number 1

Generate: ○ Hit List ● Hit Count ○ Side by Side ○ Image

Search   Clear   Interrupt

Search History

DATE: Monday, January 09, 2006   Printable Copy   Create Case

Set Name	Query	Hit Count	Set Name
side by side			result set
	DB=PGPB,USPT; PLUR=YES; OP=ADJ		
L13	L12 and @ad<20000301	25	L13
L12	(voltage near3 (pulse or spike) near3 test$3) same power supply	41	L12
L11	power supply	361366	L11
L10	L8 and @ad<20000101	441	L10
L9	voltage near3 (pulse or spike) near3 test$3 near3 power supply	8	L9
L8	voltage near3 (pulse or spike) near3 test$3	670	L8
L7	voltage near3 (pulse or spike)	84434	L7
L6	pulse or spike	573722	L6
L5	L2 and disturbance	1	L5
L4	L2 and simulat$3	0	L4
L3	L2 and disrupt$3	1	L3
L2	09/823079	1	L2
L1	4879623.pn.	1	L1

END OF SEARCH HISTORY

Freeform Search

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term: voltage adj2 interruption with test

Display: 50 Documents in <u>Display Format:</u> - Starting with Number 1

Generate: ○ Hit List ● Hit Count ○ Side by Side ○ Image

| Search | Clear | Interrupt |

Search History

DATE: Friday, January 06, 2006 <u>Printable Copy</u> <u>Create Case</u>

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
	DB=PGPB,USPT; PLUR=YES; OP=ADJ		
<u>L37</u>	voltage adj2 interruption with test	8	<u>L37</u>
<u>L36</u>	L35 and @ad<20000301	78	<u>L36</u>
<u>L35</u>	voltage near3 interrupt$3 with test	105	<u>L35</u>
<u>L34</u>	voltage near3 interruption near3 test	6	<u>L34</u>
<u>L33</u>	voltage near3 interruption	2595	<u>L33</u>
<u>L32</u>	L31 and @ad<20000301	129	<u>L32</u>
<u>L31</u>	voltage near disrupt$3	203	<u>L31</u>
<u>L30</u>	L28 and disturbance	0	<u>L30</u>
<u>L29</u>	L28 and disruption	0	<u>L29</u>
<u>L28</u>	5063383.pn.	1	<u>L28</u>
<u>L27</u>	L1 and disruption	1	<u>L27</u>
<u>L26</u>	L25 and voltage	2	<u>L26</u>
<u>L25</u>	('5063383' |'3621359')!.PN.	2	<u>L25</u>
<u>L24</u>	(disrupt$3 or interrupt$3) near voltage near test	5	<u>L24</u>
<u>L23</u>	L22 and (disrupt$3 or interrupt$3)	2	<u>L23</u>
<u>L22</u>	('6467054' |'6320275')!.PN.	2	<u>L22</u>

L21	L20 and @ad<20000301	89	L21
L20	test$3 near3 power near3 (interrupt$3 or disrupt$3)	144	L20
L19	('5315554')!.PN.	1	L19
L18	L17 and (interrupt$3 or disrupt$3)	2	L18
L17	('5315554' |'3577011')!.PN.	2	L17
L16	test$3 near3 voltage (interrupt$3 or disrupt$3)	6	L16
L15	L14 and (disrupt$3 or interrupt$3)	1	L15
L14	4931742.pn.	1	L14
L13	L12 and L11	36	L13
L12	power supply	361366	L12
L11	L10 and @ad<20000301	117	L11
L10	(voltage near3 (interrupt$3 or disrupt$3)) with test$3	158	L10
L9	L8 and @ad<20000301	266	L9
L8	(power near3 (interrupt$3 or disrupt$3)) with test$3	416	L8
L7	(power near3 (interrupt$3 or disrupt$3)) same test$3	1109	L7
L6	L5 and @ad<20000301	19347	L6
L5	power near3 (interrupt$3 or disrupt$3)	29788	L5
L4	L2 and glitch	0	L4
L3	L2 and (disruption or disturbance)	0	L3
L2	4879623.pn.	1	L2
L1	09/823079	1	L1

END OF SEARCH HISTORY

PORTAL

USPTO

+tester +disturbance +"nominal voltage"

Nothing Found

Your search for **+tester +disturbance +"nominal voltage"** did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

- Enter your search terms in lower case with a space between the terms.

      sales offices

  You can also enter a full question or concept in plain language.

      Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

      John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

      "museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

      museum +art

- Exclude pages by using a − if a search term must not appear on a page.

      museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

      museum +"natural history" dinosaur -Chicago

Welcome United States Patent and Trademark Office

IEEE *Xplore*

Search Results   **BROWSE**   **SEARCH**   **IEEE XPLORE GUIDE**

Results for "((tester <and> voltage <phrase> disturbance <and> voltage <phrase> pulse <..."
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL   IEEE Journal or Magazine

IEE JNL   IEE Journal or Magazine

IEEE CNF   IEEE Conference Proceeding

IEE CNF   IEE Conference Proceeding

IEEE STD   IEEE Standard

Modify Search

(((tester <and> voltage <phrase> disturbance <and> voltage <phrase> pulse <and> ri

☐ Check to search only within this results set

Display Format: ⦿ Citation   ◯ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan search.

Help   Contact Us   Privacy & :

© Copyright 2005 IEEE –

Indexed by
Inspec